



Spinks **W**orld



TAMPON PRINTING

PAD/SCREEN PRINTING INKS

CONSUMABLES

LASER MARKING MACHINES

SPRAY COATING

LASER APPLICATIONS ON FOOTWEAR

CUT | MARK | ENGRAVE | 2D/3D DIES 

- MARKOLASER FIBER LASER machines are well suited for marking on ready footwear.
- It is only possible by lasers to read the unique information online & mark the barcode on each finished product which is not feasible by any other technology.



PAD PRINTING ON FOOTWEAR
ENDLESS
POSSIBILITIES 

Tampoprint® AG
your trusted pad printing partner

- Excellent speed.
- 60mm cup size gives 55mm print area.
- Lesser air consumption, lesser ink consumption, most economic.



SPRAY COATING ON FOOTWEAR 

Spinks Softech is a global name in decoration. The company is involved in multiplying the aesthetics of products by painting, printing, marking, spray coating, surface treatments, finishes and textures, etching and engraving on them.



RUCO INKS 

RUCO, Germany is one of the vanguards and pioneers dealing in a complete range of printing inks for the fields of gravure, Flexographic, screen, offset and pad printing.



SPECIAL EFFECT INKS FOR PRINTING ON FOOTWEAR



PEVA-S

Split EVA
Skin EVA
Injection Molded EVA
TPE footwear.



RUB

PVC / Rexine
PU and Mesh
Nylon
Canvas
Nubuck
Genuine leather
Flexible PVC
Rubber
Tetron/Water proof nylon
Polyester
TPR



HR(HIGH SPEED)

PVC / Rexine
PU Leather
Polyester Mesh
Canvas
Nubuck
Genuine leather
Flexible PVC
Rubber
Tetron/Water proof Nylon
Polyester



XG(SILICONE)


PU - LEATHER
GENUINE LEATHER
CANVAS
NYLON
HOSIERY FABRIC
POLYESTER
LYCRA
SILICONE RUBBER



LAX

MAKING TRANSFERS FOR
BASKET BALL
MAKING V-BELT TRANSFER
ON BOPP FILM
(BEFORE VULCANIZATION)





Single Head 2D Printing Machine

Slippers Dedicated Heat Transfer Machine

Specifications

Max Stamping length:	200mm
Max Stamping width:	130mm
Air pressure range:	5-7Bar
Rated voltage:	AC220V / 50Hzr
Heating power:	1350W
Machine size:	800mm x 620mm x 1750mm

3D Printing Machine

Specifications

- 3D
- Processing product: Special Shape 3D Product Surface
- Processing principle: thermal shrinkage+ vacuum
- Machine Size: 2200*1180*1700MM
- Machine Power: 12KW
- Thermal transfer temperature: room temperature 0-399°C
- Operation position: single working position
(or double working position and double workbench work continuously)
- Vacuum tank: 0.1M³ - 0.98Mpa
- Vacuum pump: 1.5KW
- PLC Electric devices control:
Human machine interface + PLC + imported photoelectric sensor



We represent



We manufacture



Our Compliances

Nike Standard

EN-71(3)

Adidas A01

Phthalate Free

ROHS Norms

FDDI Standard



DELHI

19 Motia Khan, Rani
Jhansi Road,
New Delhi-110055
(T) +91 011 45786800
(M) +91 9810682331

GURGAON

Plot no, 88, Pace City-1,
Sec-37, Gurgaon-122001,
Haryana. India
(T) +91 124 4770500,
(F) +91 124 4030132,
(M) +91 9999058835,
(M) +91 9999902442

BADDI

Khasra No.172-174,
Village-Katha (Baddi)Distt.Solan,
Himachal Pradesh-173205
(M) +91 9816082337
(M) +91 9459491881

MUMBAI

B-342, Oshiwara Indi Centre
Opp - Oshiwara Bus Depot,
New Link Road,
Goregaon (West)
Mumbai -400104
(T) +91 022 32507885,
(F) +91 022 40167884,
(M) +91 9324213581

PUNE

Current Address - Gat-37,
Mauje Chimbali,
Taluka Khed, Pune,
Maharashtra-410501
(M) +91 9975090374
(M) +91 8983043440
New Address - Plot No.
A16, MIDC, Chakan,
Behind Hyundai, Pune,
Maharashtra

CHENNAI

160 SIDCO Industrial Estate,
Thirumazhisai,
Chennai, Tamil Naidu - 602105
(T) +91 044 26811007
(M) +91 9500017783
(M) +91 9901999848

WEBSITES:- www.spinksworld.com, www.spinksindia.com, www.spinkssoftech.com, www.markolaser.com.
E-MAIL :- info@spinksworld.com, info@spinksindia.com, info@spinkssoftech.com, info@markolaser.com,

Help Line No:- +91 9210626626